

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	282457	(interpolat\$5 or rebin\$7 or ((re\$sort\$5 or re\$project\$5 or re\$order\$5) near3 (data or data\$set or project\$5 or raw or set or fan or fan\$beam or cone or conical or cone\$beam or cone\$shap\$5 or fan\$beam or fan\$shap\$5)) or ((projecting or projected or project) near3 (plane or space or slice or fan or fan\$beam or cone or conical or cone\$beam or cone\$shap\$5 or fan\$beam or fan\$shap\$5)) or fan\$to\$parallel or fan\$para\$7 or ((fan or fan\$beam or cone or conical or cone\$beam or cone\$shap\$5 or fan\$beam or fan\$shap\$5) near3 (parallel or parallel\$beam))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:14
L2	300094	((filter\$5 or weight\$5 or convolut\$5 or convolv\$7) near4 (projection or data or data\$set or set or raw))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:15

L3	19189	((filter\$5 or weight\$5 or convolut\$7 or convolv\$7) near4 (voxel or ((three adj dimension\$5) or "3"\$2D or three \$dimension\$5 or voxel) near3 (data or image or reconstruct \$5 or data\$set or set or information)) or (volume near2 element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:19
L4	19599	((filter\$5 or weight\$5 or convolut\$7 or convolv\$7) near4 (voxel or ((three adj dimension\$5) or "3"\$2D or three \$dimension\$5 or voxel) near3 (point or coordinate or space or data or image or reconstruct \$5 or data\$set or back\$project\$5 or (back adj project\$5) or set or information)) or (volume near2 element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:21
L5	102	parker\$3 near2 (weight\$5 or filter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:22
L6	102	(parker\$3 near2 (weight\$5 or filter \$5) or parker\$weight \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:22
L7	37709	1 and (2 or 3 or 4 or 5 or 6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:22
L8	8980	1 same (2 or 3 or 4 or 5 or 6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:23
L9	169	1 same 2 same (3 or 4 or 5 or 6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:23
L10	1	10/544291	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:23

L11	8	((("5430783") or ("6477221") or ("6459754") or ("6118841")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/12/16 10:25
L12	1	10 and (1 or 2 or 3 or 4 or 5 or 6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:27
L13	300094	((filter\$5 or weight\$5 or convolut\$5 or convolv\$7 or ramp \$filter\$5) near4 (projection or data or data\$set or set or raw))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:31
L14	19189	((filter\$5 or weight\$5 or convolut\$7 or convolv\$7 or ramp \$filter\$5) near4 (voxel or ((three adj dimension\$5) or "3"\$2D or three \$dimension\$5 or voxel) near3 (data or image or reconstruct \$5 or data\$set or set or information)) or (volume near2 element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:31
L15	20042	((filter\$5 or weight\$5 or convolut\$7 or convolv\$7 or ramp \$filter\$5) near5 (voxel or ((three adj dimension\$5) or "3"\$2D or three \$dimension\$5 or voxel) near3 (point or coordinate or space or data or image or reconstruct \$5 or data\$set or back\$project\$5 or (back adj project\$5) or set or information)) or (volume near2 element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:32

L16	540	(parker\$3 near2 (weight\$5 or filter\$5 or method or technique or algorithm or normal \$8)) or parker\$weight \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:32
L17	1467	1 and 13 and (14 or 15 or 16)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:33
L18	459	17 and (("378"/\$). ccls. or (382/131,132).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:33
L19	1275	1 and 13 and 15 and (14 or 16 or ((individ \$7 or separat\$7 or independ\$7 or alone or each or one or single or separat\$5) near3 (voxel or (volume near2 element))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:35
L20	396	18 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:36
L21	6268	(voxel or (volume near2 element)) near5 (reconstruct\$5 or (back adj project \$5) or back\$project \$5 or construct\$5 or separat\$7 or individual\$5 or independ\$7 or each or alone or single or one or parker or weight\$5 or normalize or normalizing or normalization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:42
L22	243	20 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:42
L23	243	22 and (("378"/\$). ccls. or (382/131,132).ccls. or voxel or (volume near2 element))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 10:45

L24	8800	(re\$project\$5 or backproject\$5re \$project\$5 or interpolat\$5 or rebin \$7 or ((re\$sort\$5 or re\$project\$5 or re \$order\$5) near3 (data or data\$set or project\$5 or raw or set or fan or fan \$beam or cone or conical or cone\$beam or cone\$shap\$5 or fan\$beam or fan \$shap\$5)) or ((projecting or projected or project) near3 (plane or space or slice or fan or fan\$beam or cone or conical or cone \$beam or cone\$shap \$5 or fan\$beam or fan\$shap\$5)) or fan \$to\$parallel or fan \$para\$7 or ((fan or fan\$beam or cone or conical or cone\$beam or cone\$shap\$5 or fan\$beam or fan \$shap\$5) near3 (parallel or parallel \$beam))) same ((filter \$5 or weight\$5 or convolut\$5 or convolv \$7 or ramp\$filter\$5) near4 (voxel or (volume near2 element) or projection or data or data\$set or set or raw))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 13:49
L25	105	23 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 13:49
L26	19	16 and (23 or 24 or 25)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 13:51

L27	808	((parker\$3 or parker \$weight\$5) near3 (reconstruct\$5 or feldkamp or fdk or back\$project\$5 or (back adj project\$5) or weight\$5 or filter \$5 or method or technique or algorithm or normal \$8)) or parker\$weight \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:15
L28	28	27 and (23 or 24 or 25)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:15
L29	36	27 and ("378"/\$). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:21
L30	183	1 same 13 same 15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:44
L31	17	(1 same 13 same 15 same (27 or 14 or 16 or ((individ\$7 or separat\$7 or independ \$7 or alone or each or one or single or separat\$5 or (back adj project\$5) or back \$project\$5 or reconstruct\$5) near4 (voxel or (volume near2 element))))). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:45
L32	20	(1 same 13 same (27 or 14 or 16 or ((individ\$7 or separat \$7 or independ\$7 or alone or each or one or single or separat \$5 or (back adj project\$5) or back \$project\$5 or reconstruct\$5) near4 (voxel or (volume near2 element))))). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/16 23:47

L33	1980	(voxel or (volume near2 element)) near5 (reconstruct\$5 or construct\$5 back \$project\$5 or (back adj project\$5) or attenuat\$7 or (line adj integr\$5) or line \$integr\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:01
L34	411	(voxel or (volume near2 element)) near5 (reconstruct\$5 or construct\$5 back \$project\$5 or (back adj project\$5) or attenuat\$7 or (line adj integr\$5) or line \$integr\$7) same (filter \$5 or weight\$5 or normalizing or normalization or normalize or parker \$4 or parker\$5weight \$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:07
L35	17	((voxel or (volume near2 element)) near5 (reconstruct\$5 or construct\$5 back \$project\$5 or (back adj project\$5) or attenuat\$7 or (line adj integr\$5) or line \$integr\$7) same (normalizing or normalization or normalize or parker \$4 or parker\$5weight \$5)) same (filter\$5 or weight\$5 or interpolat \$5 or rebin\$7 or re \$arrang\$7 or re\$order \$5 or re\$sort\$5 or fan \$para or fan\$to\$para \$7 or parallel\$beam or re\$project\$5 or projecting or project or projected)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:10

L36	648	((voxel or (volume near2 element)) near5 (reconstruct\$5 or construct\$5 back \$project\$5 or (back adj project\$5) or attenuat\$7 or (line adj integr\$5) or line \$integr\$7) same (normalizing or normalization or normalize or (filter\$5 or weight\$5 or interpolat\$5 or rebin \$7 or re\$arrang\$7 or re\$order\$5 or re\$sort \$5 or fan\$para or fan \$to\$para\$7 or parallel \$beam or re\$project \$5 or projecting or project or projected) or ramp\$filter\$5 or parker\$4 or parker \$5weight\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:13
L37	56	((((voxel or (volume near2 element)) near5 (reconstruct\$5 or construct\$5 back \$project\$5 or (back adj project\$5) or attenuat\$7 or (line adj integr\$5) or line \$integr\$7) same (normalizing or normalization or normalize or (filter\$5 or weight\$5 or interpolat\$5 or rebin \$7 or re\$arrang\$7 or re\$order\$5 or re\$sort \$5 or fan\$para or fan \$to\$para\$7 or parallel \$beam or re\$project \$5 or projecting or project or projected) or ramp\$filter\$5 or parker\$4 or parker \$5weight\$5))).d.m. and ("378"/\$).c.d.s.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:14
L38	1	27 and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/12/17 00:16

12/ 17/ 2008 12:17:25 AM

C:\Documents and Settings\ataningco\My Documents\EAST\Workspaces\single_voxel.wsp